

26 PCS WRENCH SET

Pontus is our standard quality tool line when you need to get the job done – at a fair price complying with general market needs.



PONTUS

pontus.wrist.com



➤ Flip page for specs

GETS THE JOB DONE

Pontus is our standard quality tool line when you need to get the job done – at a fair price complying with general market needs.

The Pontus tool line is part of Wrist's global assortment and our well-established supply chain, providing customers with a superior delivery compliance – all over the world.

When strong performance is key, the Pontus range of products gets the job done.

➤ Get in touch with your local contact on wrist.com

- Classic quality products
- Competitive pricing
- Global availability & standardization

Complying with customer needs

In Greek mythology, Pontus was considered a personification of the sea itself. This illustrates very well the thoughts behind Wrist's Pontus product line – being the global market leader in ship supply, we know our customers and their needs.

Pontus is a private label of Wrist



26 PCS WRENCH SET

The Pontus wrench comes with a traditional open end and a 12-point ring. The 12-point ring has a 15° angle for improved flexibility making it the preferred wrench for tight spaces.

The Pontus wrench is manufactured in high strength steel for improved durability and nickel

plated for corrosion control. The straight design of the handle with rounded edges ensures improved comfort of use.

The set of Pontus wrenches come in a nylon bag.

Sold in sets of 26 pcs or as individual wrenches.

- > 12-point ring and open end
- > High strength steel

- > Nickel plated
- > Sleek design offers optimum comfort



> Turn to next page for specs



26 PCS WRENCH SET

Wrench set with 26 pcs (6-32mm)

Item no.	IMPA code	Size (mm)	Length of blade (mm)	Weight (g).	12 point max torque (Nm)	Open torque (Nm)
1466050	610538	See data in scheme below				

Individual wrenches

Item no.	IMPA code	Size (mm)	Length of blade (mm)	Weight (g)	12 point max torque (Nm)	Open torque (Nm)
1466051	610761	6	89	20	17,6	5,92
610762	610762	7	100	27	25,2	9,12
1466053	610763	8	110	32	34,5	13,3
1466054	610764	9	119	37	45,4	18,4
1466055	610765	10	128	43	58,1	24,8
1466056	610766	11	137	49	72,7	32,3
1466057	610767	12	149	56	89,1	41,2
1466058	610768	13	161	70	107	51,6
1466059	610769	14	173	82	128	63,5
1466076	610792	15	185	95	150	77
1466060	610770	16	185	95	150	77
1466061	610771	17	196	110	175	92,3
1466077	610793	18	220	142	230	128
1466062	610772	19	235	175	261	149
1466078	610794	20	235	175	261	149
1466063	610773	21	260	230	330	198
1466064	610774	22	278	265	368	225
1466065	610775	23	278	258	368	225
1466066	610776	24	308	310	451	287
1466079	610795	25	330	400	451	287
1466067	610777	26	430	400	451	287
1466068	610778	27	480	480	594	399
1466080	610796	28	360	480	594	399
1466081	610797	29	380	520	594	399
1466069	610779	30	280	520	760	536
1466070	610780	32	410	660	884	643